

Gravity® Suspension Harness

Rope Access, Rescue, Telecommunications, Oil And Gas, Wind Energy and General Industry

ISG INTEGRATED SAFETY GROUP

MSA
The Safety Company



The MSA **Gravity® Suspension Harness** is designed to offer superior comfort, safety and quality to professionals and specialists who work at heights suspended.



*Because every life has a **purpose...***

Gravity® Suspension Harness

Rope Access, Rescue, Telecommunications, Oil And Gas, Wind Energy and General Industry


The MSA **Gravity® Suspension Harness** is designed to offer superior comfort, safety and quality to professionals and specialists who work at heights suspended.

Product Highlights:

- Strategically positioned ventral attachment distributes the load between the waist belt and leg loops during suspension.
- The breathable waist pad is constructed from a multi-layered padding which dissipates pressure from the webbing to reduce fatigue when working for long periods of time.
- Bayonet buckles with locking engagement window confirms a secure connection.
- Shoulder padding protects the neck from chafing while providing the necessary back support.
- Premium hardware fittings with wide opening aluminium D-Rings, triple action karabiner and single hand adjusting buckles.
- A total of five rigid tool loops on the waist belt and leg connections.
- Side D-Rings can be conveniently stowed away when not in use.
- RFID enabled for easy tracking.
- Available in 3 sizes.
- Certified to AS/NZS 1891.1:2007.

Applications

- Rope Access
- Rescue
- Telecommunications
- Oil and Gas
- Wind Energy
- General Industry




Gravity® Suspension Harness

Rope Access, Rescue, Telecommunications, Oil And Gas, Wind Energy and General Industry

Features & Benefits

Features	Benefits
Breathable material	<ul style="list-style-type: none"> Waist pad constructed from a multi-layered padding which dissipates pressure from the webbing to reduce fatigue when working for long periods of time
High density foam	<ul style="list-style-type: none"> Provides necessary back support for work positioning or sitting while suspended
Aluminium hardware	<ul style="list-style-type: none"> Weight reduction
Ventral attachment point positioned at the waist	<ul style="list-style-type: none"> Distributes the load between the waist belt and the leg loops during suspended work
Front D-rings capable of accomodating three karabiners	<ul style="list-style-type: none"> Connection transfer and hardware storage
Bayonet buckles with locking undercut engagement window	<ul style="list-style-type: none"> Quick connection Confirm secure connection Prevents disconnection under tension
Adjustable padded leg loops	<ul style="list-style-type: none"> More adjustment for optimal fit Comfort
Quick adjusting buckles	<ul style="list-style-type: none"> One hand tightening and loosening capability
Side D-Rings that fold forward	<ul style="list-style-type: none"> Ability to stow side D-rings when not in use
Shoulder padding	<ul style="list-style-type: none"> Protects the neck from chafing
Triple locking karabiner	<ul style="list-style-type: none"> Added peace of mind
Five rigid tool loops on the waist and leg connections	<ul style="list-style-type: none"> Keep multiple tools and connectors attached and safe while working at height
Lanyard keepers	<ul style="list-style-type: none"> Stow unused twin leg lanyards
RFID Enabled	<ul style="list-style-type: none"> Harness tracking with ease




Gravity® Suspension Harness

Rope Access, Rescue, Telecommunications, Oil And Gas, Wind Energy and General Industry


Ordering Information

Part Number	Description	Size			Approvals
		S	M	L	
10150462	GRAVITY® Suspension Harness	X			AS/NZS 1891.1:2007
10150463	GRAVITY® Suspension Harness		X		
10150464	GRAVITY® Suspension Harness			X	

Attachment Points



Harness Sizing Chart



MSA Australia

11 Columbia Way
 BAULKHAM HILLS NSW 2153
 Phone: 1300 728 672
 Fax: +61 (02) 9896 1835
 Email: aus.customerservice@MSAsafety.com
 Web: www.MSAsafety.com